

GOOSENECKS

The Aluminum Elbow is the product innovation you have been waiting for. Engineered to provide a no rust connection from the pivot to the hose. A super lightweight, extremely strong, totally non-corrosive elbow connection to the water source.

SIZE	TYPE	IACOPARTNO	WEIGHT	BOXQTY
------	------	------------	--------	--------

Aluminum
Goosenecks
1800

3/4M X 3/4M	ALUMINUM	MEL-211-18A	0.44	50
----------------	----------	-------------	------	----

Aluminum
Goosenecks
1250

3/4m X Hose Barb	ALUMINUM	MEL-21B-18A	0.31	50
---------------------	----------	-------------	------	----

3/4m X
Hose Barb
Furrow Arm
12" Spread

ALUMINUM	MEL-21B-12A	0.31	50
----------	-------------	------	----

Aluminum
Ex Elbow

3/4M X 3/4M	ALUMINUM	MEL-211-12A	0.44	50
-------------------	----------	-------------	------	----

3/4M X 3/4M	ALUMINUM	MIS-211-12A	0.54	50
----------------	----------	-------------	------	----

3/4M X 3/4F	ALUMINUM	MEL-152-18A	0.75	50
-------------------	----------	-------------	------	----

3/4m X Hose Barb	ALUMINUM	MIS-21B-12A	0.54	50
---------------------	----------	-------------	------	----

PIVOT BOOTS & CLAMPS

Pivot Boots: High quality rubber boots in three popular pipe diameters 6", 6 5/8" and 8"

Clamps: Stainless steel heavy duty clamps for 4 1/2", 5 9/16", 6", 6 5/8" and 8"

SIZE	IACOPARTNO	WEIGHT
------	------------	--------

Pivot Boot

**PIVOT
BOOTS &
CLAMPS**

6" x 16"	MPB-600-016	2.9
6 5-8" x 16"	MPB-620-016	4
8" x 16"	MPB-800-016	4.2

Pivot
Boot
Clamps

4-1/2" MPB-SSC-488 0.38

5-9/16"	MPB-SSC-600	0.42
6"	MPB-SSC-650	0.43
6-5/8"	MPB-SSC-719	0.45
8"	MPB-SSC-838	0.49

